

# Understanding Gig Worker Behavior

# From Multihoming to Algorithm Interactions



Park Sinchaisri UC Berkeley

Johns Hopkins Carey Business School

November 13, 2025

# "Gig Economy"





# "Gig Economy"

freelancing Upwork **CATALANT** 

remote work & fastwork > Toptal.

telemedicine Teladoc MDLIVE

retail (allwork) snag.work

local tasks TaskRabbit












fiverr


ride-hailing **Uber Up** DiDi

delivery **DOORDASH** Uber Eats









#1

Improving Operations for Future of Work

Improving Operations for Future of Work

How do on-demand workers make their work decisions?

How to design incentives and scheduling?

How do they learn, and how to help them improve faster?

# Improving Operations for Future of Work

### Gig Workers' Decision-Making/Incentives

- Behavioral & economic drivers on workers' labor decisions/scheduling (with Gad Allon, Maxime Cohen, M&SOM 2023)
- Multihoming, incentive schemes
   (with Gad Allon, Maxime Cohen, Ken Moon, Under revision for resubmission)
- Optimizing task selection/assignment (with Shunan Jiang, CSCW 2025)
- In progress: field experiment on incentive design with a food delivery platform, temporary ondemand teams in retail, crowdsourced workers

Improving Operations for Future of Work

### Gig Workers' Decision-Making/Incentives

- Behavioral & economic drivers on workers' labor decisions/scheduling (with Gad Allon, Maxime Cohen, M&SOM 2023)
- Multihoming, incentive schemes
   (with Gad Allon, Maxime Cohen, Ken Moon, Under revision for resubmission)
- Optimizing task selection/assignment (with Shunan Jiang, CSCW 2025)
- In progress: field experiment on incentive design with a food delivery platform, temporary ondemand teams in retail, crowdsourced workers

Our kind industry partner





Improving Operations for Future of Work

### Gig Workers' Decision-Making/Incentives

- Behavioral & economic drivers on workers' labor decisions/scheduling (with Gad Allon, Maxime Cohen, M&SOM 2023)
- Multihoming, incentive schemes
   (with Gad Allon, Maxime Cohen, Ken Moon, Under revision for resubmission)
- Optimizing task selection/assignment (with Shunan Jiang, CSCW 2025)
- In progress: field experiment on incentive design with a food delivery platform, temporary ondemand teams in retail, crowdsourced workers

Our kind industry partner



Struggling gig workers





People work independently /remotely



People work independently /remotely

#2

# **Worker Learning**

Human-Al Interfaces to Improve Performance

- Improving Operations for Future of Work
- 2 Human-Al Interfaces to Improve Performance

### Gig Workers' Decision-Making/Incentives

- Behavioral & economic drivers on workers' labor decisions/scheduling (with Gad Allon, Maxime Cohen, M&SOM 2023)
- Multihoming, incentive schemes (with Gad Allon, Maxime Cohen, Ken Moon, Under revision for resubmission)
- Optimizing task selection/assignment (with Shunan Jiang, CSCW 2025)
- In progress: field experiment on incentive design with a food delivery platform, temporary ondemand teams in retail, crowdsourced workers

"Sequential Decision Making"

How to design effective human-Al interfaces?

How do humans respond to Al-generated advice?

How humans learn to use new tool (e.g., generative AI)?

- Improving Operations for Future of Work
- Human-Al Interfaces to Improve Performance

### Gig Workers' Decision-Making/Incentives Tips for Sequential Decision-Making

- Behavioral & economic drivers on workers' labor decisions/scheduling (with Gad Allon, Maxime Cohen, M&SOM 2023)
- Multihoming, incentive schemes (with Gad Allon, Maxime Cohen, Ken Moon, Under revision for resubmission)
- Optimizing task selection/assignment (with Shunan Jiang, CSCW 2025)
- In progress: field experiment on incentive design with a food delivery platform, temporary ondemand teams in retail, crowdsourced workers

- Learning best practices ("tip") from data (with Hamsa Bastani, Osbert Bastani, Management Science 2025)
- Precision of advice in uncertain env. (with Philippe Blaettchen, preparing for submission)
- Generative AI and productivity (with Sam Keppler, Clare Snyder, CSCW 2025)
- Backward planning with generative AI (with Sam Keppler, Clare Snyder, preparing for submission)
- Characterizing non-adoption (with David Lee, preparing for submission)
- In progress: AI tips for multiple agents

# Today

# Improving Operations for Future of Work

2 Human-Al Interfaces to Improve Performance

Gig Workers' Decision-Making/Incentives

- Behavioral & economic drivers on workers' labor decisions/scheduling (with Gad Allon, Maxime Cohen, M&SO
- Multihoming, incentive schemes

  (with Gad Allon, Maxime Cohen, Ken Moon, Under revision for resubmission)
- Optimizing task selection/assignment (with Shunan Jiang, CSCW 2025)
- In progress: field experiment on incentive design with a food delivery platform, temporary ondemand teams in retail, crowdsourced workers

Tips for Sequential Decision-Making

- Learning best practices ("tip") from data (with Hamsa Bastani, Osbert Bastani, Management Science 2025)
- Precision of advice in uncertain env.
   (with Philippe Blaettchen, preparing for submission)
- Generative AI and productivity (with Sam Keppler, Clare Snyder, CSCW 2025)
- Backward planning with generative Al (with Sam Keppler, Clare Snyder, preparing for submission)
- Characterizing non-adoption (with David Lee, preparing for submission)
- In progress: Al tips for multiple agents



# Managing Multihoming Workers in the Gig Economy



Park Sinchaisri UC Berkeley







Gad Allon, Maxime Cohen, Ken Moon

# Multihoming





### caviar GRUBHUB





DOORDASH Uber Eats instacart \*\* Postmates






Uber **Up Q** VIQ



Multihoming





### In major defeat for Uber and Lyft, New York City votes to limit ride-hailing cars

NYC becomes the first American city to restrict the explosive growth in for-hire vehicles

By Shoshana Wodinsky | Aug 8, 2018, 4:39pm EDT







### In major defeat for Uber and Lyft, New York City votes to limit ride-hailing cars

NYC becomes the first American city to restrict the explosive growth in for-hire vehicles

By Shoshana Wodinsky | Aug 8, 2018, 4:39pm EDT








Mission Chinese Food \$22.78 subtotal (2 items)

BUSY PAY: +\$1.50


4.1 miles total

**Accept Order** 





**Uber** 




Mission Chinese Food \$22.78 subtotal (2 items)

BUSY PAY: +\$1.50

4.1 miles total

**Accept Order** 





### **Uber**

The New Hork Times

# DoorDash, Shifting Business Model, Will Offer Drivers Hourly Pay

The company said the option would give couriers greater choice. It could also help DoorDash find people who will make less desirable deliveries.

# How workers make multihoming decisions?

# Context Ride-Hailing w/ Diff. Pay

$$A = Focal$$

# Context

## Ride-Hailing w/ Diff. Pay

$$A = Focal$$

dynamic guaranteed hourly pay

(e.g., \$25/hour if online between 7-9am)

# Context

## Ride-Hailing w/ Diff. Pay

$$A = Focal$$

 $\bigcirc$  = Competitor

dynamic guaranteed hourly pay

(e.g., \$25/hour if online between 7-9am)

```
dynamic
per-trip
pay
```


```
(e.g., base fare+ extra $/minute+ extra $/distance)
```








# Context Gig Workers with 2 Options (ride-hailing platforms) = Focal = Competitor \$25/hour 7-9AM Avg. Surge +25% 225 S 4th St Brooklyn, NY


8:20AM





















Driver: Park S.

IVE	

		Pay rate	
Time	Decision/Location	Α	В
8:21	Joined A 225 S 4 <sup>th</sup> St	\$25/hour	+25%
8:40	18 E Broadway 🗛	\$25/hour	+25%
8:50	730 E 12 <sup>th</sup> St 🗛	\$25/hour	+35%
8:55	336 Spring St 🗛	\$25/hour	+50%
9:05	4 Berry St 🗛	\$15/hour	+75%
9:06	Switched to B	\$15/hour	+75%

Driver: #123 (sedan)

		i dy ideo	
Time	Decision/Location	Α	В
8:21	Joined A 225 S 4 <sup>th</sup> St	\$25/hour	+25%
8:40	18 E Broadway A	\$25/hour	+25%
8:50	730 E 12 <sup>th</sup> St A	\$25/hour	+35%
8:55	336 Spring St A	\$25/hour	+50%
9:05	4 Berry St A	\$15/hour	+75%
9:06	Left Ad to B	\$15/hour	+75%



### Our proprietary data

Time and location of *first* pick-up and *last* drop-off
Guaranteed pay
July – September 2017, NYC

Public data

Pay rate



Driver: #123 (sedan)

```
Time Decision/Location A B

8:21 Joined A 225 S 4<sup>th</sup> St $25/hour +25%

8:40 18 E Broadway A $25/hour +25%

8 Infer locations it A $25/hour +35%

8 from transition matrix 5t A $25/hour +50%

9:05 4 Berry St A $15/hour +75%

9:06 Left Ad to B $15/hour +75%
```



### Our proprietary data

Time and location of *first* pick-up and *last* drop-off
Guaranteed pay
July – September 2017, NYC



Driver: #123 (sedan)

```
Time Decision/Location A B

8:21 Joined A 225 S 4<sup>th</sup> St $25/hour +25%

8:40 18 E Broadway A $25/hour +25%

8 Infer locations it A $25/hour +35%

8 from transition matrix 5t A $25/hour +50%

9:05 4 Berry St A $15/hour + Breakdown of fare rates

9:06 Left Ad to B $15/hour +
```



### Our proprietary data

Time and location of *first* pick-up and *last* drop-off
Guaranteed pay
July – September 2017, NYC



Driver: #123 (sedan)

```
Time Decision/Location A B

8:21 Joined A 225 S 4<sup>th</sup> St $25/hour +25%
8:40 18 E Broadway A $25/hour Volume of trips for all platforms in each neighborhood from transition matrix 5t A $25/hour +50%

9:05 4 Berry St A $15/hour + Breakdown of fare rates $15/hour + 1.5%
```



### Our proprietary data

Time and location of *first* pick-up and *last* drop-off
Guaranteed pay
July – September 2017, NYC








Pay rate
A B

St \$25/hour +25%
 Volume of trips
 for all platforms
 in each neighborhood
 \$25/hour +50%
 \$15/hour + Breakdown of
 fare rates
 \$15/hour + Breakdown of
 fare rates











### P(Supply shortage on competitor)




# Temporal/Spatial Variations


P(Supply shortage on competitor)

P(Leaving focal firm)
































## Our Model Drivers' Parameters

 $oldsymbol{eta}$  discount / forward-looking factor

## Our Model Drivers' Parameters

homogeneous

 $oldsymbol{\mathcal{B}}$  discount / forward-looking factor

heterogeneous C; cost of working for a unit time interval

# Our Model Drivers' Parameters

homogeneous

$$oldsymbol{eta}$$
 discount / forward-looking factor

heterogeneous 
$$C_i$$
 cost of working for a unit time interval









~ Truncated Normal 
$$(\mu, \sigma^2)$$

### **Estimation** Drivers' Parameters

homogeneous



discount / forward-looking factor



heterogeneous (; cost of working for a unit time interval







~ Truncated Normal  $(\mu, \sigma^2)$ 

# **Outcome of Interest**

For each day, fraction of drivers quitting at (H,L)

Data

 $H \times L$ 

Quitting location

Hours: 7am to 11pm

(Remaining left at 11:59pm)


Location: 1 of 20 regions

Bronx, Brooklyn, Newark, Central Park, Chelsea, Downtown, Governors Island, Gramercy, Harlem, LES, LWS, Midtown, Morningside Heights, UES, UWS, Upper Manhattan, JFK, LaGuardia, Queens, Staten Island

Quitting Hour

# **Outcome of Interest**

For each day, fraction of drivers quitting at (H,L)




### Hours: 7am to 11pm

(Remaining left at 11:59pm)


### Location: 1 of 20 regions


Bronx, Brooklyn, Newark, Central Park, Chelsea, Downtown, Governors Island, Gramercy, Harlem, LES, LWS, Midtown, Morningside Heights, UES, UWS, Upper Manhattan, JFK, LaGuardia, Queens, Staten Island


Each cell (H,L) is fraction of drivers quitting at location L and hour H:  $f_{L,H}$ 



### Simulation (given $\theta$ )










Find  $\theta$  that minimizes distance


## **Gen. Adversarial Networks**




 $\min_{\{generator\}} \max_{\{discriminator\}} classification \ accuracy.$ 










## **Adversarial Estimation**



Discount factor

Population distribution of cost

$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
 $(0.01145)$ 

$$\sigma = 0.664725$$
(0.01197)

Discount factor

Population distribution of cost

$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
 $(0.01145)$ 

$$\sigma = 0.664725$$
(0.01197)

\$1 in 2 hours

 $\rightarrow$  73 cents now

Discount factor

Population distribution of cost


$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
 $(0.01145)$ 

$$\sigma = 0.664725$$
(0.01197)

\$1 in 2 hours

 $\rightarrow$  73 cents now



Discount factor

Population distribution of cost

$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
 $(0.01145)$ 

$$\sigma = 0.664725$$
(0.01197)

Data

Mean daily duration: 6.3 hours (median = 5.5)

Simulated

Mean daily duration: 6.3 hours (median = 5.3)

#### Discount factor

Population distribution of cost


$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
 $(0.01145)$ 

$$\sigma = 0.664725$$
(0.01197)


#### Data

Mean daily duration: 6.3 hours



#### Simulated

Mean daily duration: 6.3 hours (median = 5.3)



Discount factor

Population distribution of cost

$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
 $(0.01145)$ 

$$\sigma = 0.664725$$
(0.01197)

66.59% most days

Fraction of workdays multihoming

Discount factor

Population distribution of cost

$$\beta = 0.94985$$
(0.00187)

$$\mu = 0.55358$$
(0.01145)

$$\sigma = 0.664725$$
(0.01197)

66.59% most days

16.01% never

Fraction of workdays multihoming

42.23% always

Discount factor

Population distribution of cost

$$\beta = 0.94985 \\ (0.00187)$$

$$\mu = 0.55358$$
(0.01145)

$$\sigma = 0.664725$$
 (0.01197)


66.59% most days

16.01% never

Fraction of workdays multihoming

42.23% always


#### P(switching to B) on average weekday



## **How to Control Multihoming?**


# **How to Control Multihoming?**

dynamic pay per work?



## **How to Control Multihoming?**

dynamic pay per work?



dynamic guaranteed pay?



#### You can earn by time now

S Guaranteed hourly pay with tips

The hourly rate will be shown at the start of your dash. You'll earn this guaranteed rate while delivering including travel and store wait time plus 100% of tips and promotions on top. The rate will factor in that tips on these orders are less frequent.


Earn more with less wait time

You'll be able to accept more offers, which maximizes your earnings by reducing idle time.

## **How to Control Multihoming?**

dynamic pay per work?

dynamic guaranteed pay?



**Accept Order** 

Counterfactual #1

which pay is better? (long-term capacity)



#### You can earn by time now

\$ Guaranteed hourly pay with tips

The hourly rate will be shown at the start of your dash. You'll earn this guaranteed rate while delivering including travel and store wait time plus 100% of tips and promotions on top. The rate will factor in that tips on these orders are less frequent.


Earn more with less wait time

You'll be able to accept more offers, which maximizes your earnings by reducing idle time.

## **How to Control Multihoming?**

dynamic pay per work?

dynamic guaranteed pay?



Counterfactual #1

which pay is better?

(long-term capacity)



You can earn by time now

Mission Chinese Food \$22.78 subtotal (2 items)

B

BUSY PAY: +\$1.50

4.1 miles total

**Accept Order** 

what happens when the focal firm switches to pay per work?


S Guaranteed hourly pay with tips

The hourly rate will be shown at the start of your dash. You'll earn this guaranteed rate while delivering including travel and store wait time plus 100% of tips and promotions on top. The rate will factor in that tips on these orders are less frequent.

Earn more with less wait time


You'll be able to accept more offers, which maximizes your earnings by reducing idle time.

## Pay Scheme



Switching from guaranteed pay  $\rightarrow$  pay per work of equivalent rate = reduces work duration


## Pay Scheme




Switching from guaranteed pay  $\rightarrow$  pay per work, need 1.25-1.5x rate to match prior work duration


## Pay Scheme

Fraction of workers who never switched



## Pay Scheme





Need 2.5-3x rate to keep the most dedicated workers

"Pay is not the only lever that platforms currently use to influence worker behavior"

# **How to Control Multihoming?**

"Pay is not the only lever that platforms currently use to influence worker behavior"

## **How to Control Multihoming?**

Counterfactual #2

impact of incentives to stay longer? (short-term capacity)

## **How to Control Multihoming?**

Streak Bonus



Make \$6 extra for a 3 trip series

12:09 PM-1:09 PM

**More Details** 

Counterfactual #2

impact of incentives to stay longer?

(short-term capacity)


"Pay is not the only lever that platforms currently use to influence worker behavior"

## **How to Control Multihoming?**

#### Time Delay



#### Streak Bonus




Counterfactual #2

impact of incentives to stay longer? (short-term capacity)


## **How to Control Multihoming?**

#### Time Delay





#### Streak Bonus




#### Counterfactual #2


impact of incentives to stay longer? (short-term capacity)

### **Short-Term**


Time Delay



Daily Work Duration




Streak Bonus




### **Short-Term**


Time Delay



Daily Work Duration



Streak Bonus



P(Multihoming)


80

90


Base Delay Streak

### **Short-Term**


Time Delay



Daily Work Duration



Streak Bonus



P(Multihoming)


Base Delay Streak

#### **Short-Term**


Time Delay



Daily Work Duration



Streak Bonus



P(Multihoming)

Base Delay Streak

Good for Good for low demand peak hours

**POLITICS** 

# New York City passes nation's first minimum pay rate for Uber and Lyft drivers

The new rule will likely give drivers an extra \$5 an hour.

Vox





by Alexia Fernández Campbell

For 2019, only applied to pay-per-work platforms

**POLITICS** 

# New York City passes nation's first minimum pay rate for <u>Uber and Lyft</u> drivers

The new rule will likely give drivers an extra \$5 an hour.

Vox





by Alexia Fernández Campbell


For 2019, only applied to pay-per-work platforms

**POLITICS** 

New York City passes nation's first minimum pay rate for <u>Uber and Lyft</u> drivers

The new rule will likely give dr

by Alexia Fernández Campbell




### **Policy Analysis**

**POLITICS** 

New York City passes nation's first minimum pay rate for <u>Uber and Lyft</u> drivers

The new rule will likely give dr

by Alexia Fernández Campbell



## **Policy Analysis**

**POLITICS** 

# New York City passes nation's first minimum pay rate for Uber and Lyft drivers

The new rule will likely give drivers an extra \$5 an hour.

Vox





by Alexia Fernández Campbell



## **Policy Analysis**

**POLITICS** 

# New York City passes nation's first minimum pay rate for Uber and Lyft drivers

The new rule will likely give drivers an extra \$5 an hour.

Vox

 $\mathbf{f}$ 



by Alexia Fernández Campbell

Dec 5, 2018, 11:10 AM PST



Drivers: "Not really.

Too many drivers.

Too much idle time."

Fares not necessarily higher (3-5%)
(Parrott, Reich 2018)

# Field Experiments (in progress)

Collaboration with LINE MAN, Thailand's leading food delivery platform (also runs restaurants' POS system)



# Field Experiments (in progress)

Collaboration with LINE MAN, Thailand's leading food delivery platform (also runs restaurants' POS system)

- Switchback experiments in July-August 2025
- 30 cities, each with one incentive type per week



# Field Experiments (in progress)


Collaboration with LINE MAN, Thailand's leading food delivery platform (also runs restaurants' POS system)

- Switchback experiments in July-August 2025
- 30 cities, each with one incentive type per week
- Control: per-trip base
- Daily productivity (X trips today)
- Streak productivity (X trips for Y days)
- Daily guaranteed (X hours today)
- Streak guaranteed (X hours a day for Y days)



# **Early Results**

Daily guaranteed outperforms other incentives in terms of # completed orders / day and online hours.



# Online Experiments (in progress)

#### Safeway for Charlotte

\$ 20 4 - apple 3 - watermelon **Piedmont** 3 - orange

#### Safeway for James

\$ 20 4 - orange 3 - apple **Piedmont** 4 - watermelon

#### **Target for Jacob**

\$ 20 2 - pineapple 9 - watermelon Emeryville 2 - grape 1 - apple 3 - banana

#### **Target for William**

\$ 20 1 - banana 1 - apple Emeryville 1 - pineapple 1 - grape 1 - watermelon

Travel to Piedmont. Then go to store

Travel to Emeryville

Travel to Berkeley

**Travel to Piedmont** 

# Online Experiments (in progress)

#### Safeway for Charlotte

\$ 20 4 - apple
Piedmont 3 - watermelon
3 - orange

#### Safeway for James

\$ 20 4 - orange
Piedmont 3 - apple
4 - watermelon



#### **Current Location: Orange**



**Checkout and Exit** 

#### Bag 1 Bag2

• apple: 4 • apple: 3

# **Summary So Far...**

# Structural modeling of gig workers' multihoming decisions

#### Insights

- ML/GAN-based adversarial estimation (historically hard to trace)
- 42% of drivers always multihome, 2/3 on most days
- Drivers are strongly myopic; responding to short-term incentives
- Guaranteed pay: save 25-50% from pay-per-work
- Peak hours: streak bonus to retain drivers
- Low demand: time delay to nudge earlier departure
- Our model helps predict impact of policy











Read more: bit.ly/ mmwpaper

## Back to...

# ...Struggling Gig Workers





## Back to...

# ...Struggling Gig Workers




#### 8 available batches















New device

= +32.4%

surgery duration

- Ramdas et al. 2018

Hip replacement surgery



New device = +32.4% surgery duration

- Ramdas et al. 2018




r/uberdrivers · Posted by u/kanyda 8 years ago

First day report

First night: 5 hours, no riders. I think I need to change my strategy.

Hip replacement surgery



New device = +32.4%

surgery duration

- Ramdas et al. 2018

Tuesdays are the least profitable day of the week. The early morning (7-10) is pretty good money.



r/uberdrivers · Posted by u/kanyda 8 years ago

#### First day report

First night: 5 hours, no riders. I think I need to change my strategy.

(Shafer et al 2001, Boh et al 2007, Argote 2012, Bavafa & Jónasson 2021)

# Al Can Help...

\$25.66 0.6 mi

\$7.66 batch earnings + \$18 tip





















1 shop and deliver • 70 items (91 units)

Accept





#### You're in a great spot!

Estimated time to see a batch from any nearby store is within the next 15 minutes.












# Al Can Help...







# Al Can Help...









Usually, workers still have discretion over the actual action taken

Radiologists prioritize similar tasks and those they expect to complete faster. They exercise more discretion as they accumulate experience.

- Ibanez et al 2018

Dietvorst, Simmons & Massey 2015 Castelo, Bos & Lehmann 2019 Sun, Zhang, Hu & van Mieghem 2022 Balakrishnan, Ferreira & Tong 2022 Bastani, Bastani & Sinchaisri 2025

## ...But Humans Deviate

# 'Automation Addiction': Are Pilots Forgetting How to Fly?

Is auto-pilot weakening response time to emergency situations?

By ABC News August 31, 2011, 3:39 AM





## The Dangers of Overreliance on Automation

Safety Concerns and Mitigation Strategies for Pilots



FAA Safety Briefing Magazine



8 min read · May 2, 2025





# 'Automation Addiction': Are Pilots Forgetting How to Fly?

Is auto-pilot weakening response time to emergency situations?

By ABC News August 31, 2011, 3:39 AM





# The Dangers of Overreliance on Automation

Safety Concerns and Mitigation Strategies for Pilots





8 min read · May 2, 2025





One of the most significant risks of overreliance on automation is the erosion of manual flying proficiency. When pilots frequently engage autopilot systems, their hand-flying skills may deteriorate. This becomes critical in emergency situations where automation may fail, requiring immediate manual control. The crash of Air France Flight 447 in 2009 demonstrated how pilots who lacked hand-flying practice and relied on automation did not properly recover from a stall during an automation failure in a highly trained airline environment.

# 'Automation Addiction': Are Pilots Forgetting How to Fly?

Is auto-pilot weakening response time to emergency situations?

By ABC News August 31, 2011, 3:39 AM





# The Dangers of Overreliance on Automation

Safety Concerns and Mitigation Strategies for Pilots




FAA Safety Briefing Magazine



8 min read · May 2, 2025





# 'Automation Addiction': Are Pilots Forgetting How to Fly?

Is auto-pilot weakening response time to emergency situations?

By ABC News August 31, 2011, 3:39 AM





# The Dangers of Overreliance on Automation

Safety Concerns and Mitigation Strategies for Pilots



FAA Safety Briefing Magazine

APR 17, 2025 7:05 AM ET

TIME



8 min read · May 2, 2025



The Real Reason Why

Students Are Using ÅI to Avoid Learning

IDEAS





ChatGPT outage live updates: College students spiraling during finals

By Taylor Herzlich, Ariel Zilber, Kaydi Pelletier and Isabella Bernabeo Updated June 10, 2025, 12:51 p.m. ET



# Give Humans Advice, and

## You Feed Them for a Day

Balancing Efficiency & Learning in Algorithmic Recommendations

#### Park Sinchaisri UC Berkeley Haas





with Philippe Blaettchen (SMU)

### Make Better Sequential Decisions

### Make Better Sequential Decisions

#### **Even After Advice is Gone?**




"Driving Game"

How Humans Make Sequential Decisions?


### Make Better Sequential Decisions






#### Make Better Sequential Decisions








### Make Better Sequential Decisions




### Make Better Sequential Decisions








2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.




- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$



- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$

$$0 \le \alpha_b < \alpha_p < 1$$

Precise tip is easier to follow




- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$

$$0 \le \alpha_b < \alpha_p < 1$$

Precise tip is easier to follow

$$0 \le \beta_p < \beta_b < 1$$

Broad tip provides strategic insight, better converting efforts into results




- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$

$$0 \le \alpha_b < \alpha_p < 1$$


Precise tip is easier to follow

$$0 \le \beta_p < \beta_b < 1$$


Broad tip provides strategic insight, better converting efforts into results



- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$ 
  - 4. Workers decides effort  $e_2 \in [0,1]$  at cost  $c(e_2) = \frac{k}{2}e_2^2$




- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$ 
  - 4. Workers decides effort  $e_2 \in [0,1]$  at cost  $c(e_2) = \frac{k}{2}e_2^2$
  - 5. Worker selects best action with  $\pi_a^2(e_1, e_2) = e_2[\lambda + (1 \delta)\omega_a e_1]$




- 2. Worker decides effort  $e_1 \in [0,1]$  with cost  $c(e_1) = \frac{k}{2}e_1^2$  with k > 0.
- 3. Worker follows the advice with probability:  $\pi_a^1(e_1) = \alpha_a + \beta_a e_1$ 
  - 4. Workers decides effort  $e_2 \in [0,1]$  at cost  $c(e_2) = \frac{k}{2}e_2^2$
  - 5. Worker selects best action with  $\pi_a^2(e_1, e_2) = e_2[\lambda + (1 \delta)\omega_a e_1]$

Transferability of advice:  $\omega_b > \omega_p$ 




## **Model Results**


Broad tip is optimal for the planner if doing well in the new environment is more important than doing well in the current environment. For high  $\delta$ , the difference needs to be more pronounced.




## **Model Results**


- Broad tip is optimal for the planner if doing well in the new environment is more important than doing well in the current environment. For high  $\delta$ , the difference needs to be more pronounced.
- 2. When the task in the initial environment is a sequential task (MDP), learning benefits of broad over precise increase with time horizon.









Goal: Get to destination as fast as possible (1% charge can travel 1 minute)




Goal: Get to destination as fast as possible (1% charge can travel 1 minute)

Challenges: Even without traffic, the amount of initial charge won't be enough









Goal: Get to destination as fast as possible (1% charge can travel 1 minute)

Challenges: Even without traffic, the amount of initial charge won't be enough + Uncertain traffic, uniformly distributed within the specified range

### **Electric Vehicle (EV) Charge Curves**

For EV charging, power delivery is non-uniform over the duration of the session. Rather, it generally follows a curve: maximum power deliver happens when the battery level is relatively low, and power delivery tapers off as the battery becomes increasingly full. However, there is lots of differentiation in the shape of these curves - certain battery architectures have high speeds, then a significant dropoff, while others look to achieve a more stable rate throughout.






**Goal:** Get to destination as fast as possible (1% charge can travel 1 minute)

Challenges: Even without traffic, the amount of initial charge won't be enough

- + Uncertain traffic, uniformly distributed within the specified range
- + Cost to exit to charge (+30 mins  $\bigcirc$ ) + nonlinear charging time  $\bigcirc$



Goal: Get to destination as fast as possible (1% charge can travel 1 minute)

**Challenges:** Even without traffic, the amount of initial charge won't be enough

- + Uncertain traffic, uniformly distributed within the specified range
- + Cost to exit to charge  $(+30 \text{ mins } \bigcirc)$  + nonlinear charging time  $\bigcirc$
- + Penalty if running out of charge in the middle (+300 mins \*)

Current Stop: 1

Elapsed Trip Time: 33 minutes

Current Charge Level: 67%



Current Stop: 1

Elapsed Trip Time: 33 minutes

Current Charge Level: 67%

### Forward-looking behavior

Distance: 30 min

Traffic: [+60, +70]

Distance: 5 min

Traffic: [+5, +10]

Current Stop: 1

Elapsed Trip Time: 33 minutes

**Current Charge Level:** 67%

### Forward-looking behavior



Would you like to make an exit at this stop to charge?





Elapsed Trip Time: 33 minutes

Current Charge Level: 67%

### Forward-looking behavior



Would you like to make an exit at this stop to charge?

Yes	No
•	$\circ$

Use this slider to help you determine how much time your recharging will cost.

0 10 20 30 40 50 60 70 80 90 100

Charge Addition Amount (+0% = +0 minutes)

### **Exploration of strategy**

This is how much charge will be added. Your current charge + added charge will be capped at 100 min.



Elapsed Trip Time: 33 minutes

Current Charge Level: 67%

### Forward-looking behavior



Would you like to make an exit at this stop to charge?

Yes	No
•	$\circ$

Use this slider to help you determine how much time your recharging will cost.

0	10	20	30	40	50	60	70	80	90	100
Charge Addition Amount (+15% = +80 minutes)										
	15									

### **Exploration of strategy**

This is how much charge will be added. Your current charge + added charge will be capped at 100 min.



Elapsed Trip Time: 33 minutes

Current Charge Level: 67%

### Forward-looking behavior



Would you like to make an exit at this stop to charge?

Yes	No
<b>©</b>	$\circ$

Use this slider to help you determine how much time your recharging will cost.

1	10	20	30	40	50	60	70	80	90	100
Charge Addition Amount (+33% = +147 minutes)										
			33							

### **Exploration of strategy**

This is how much charge will be added. Your current charge + added charge will be capped at 100 min.

### Feedback after each round

### **Previous Stop Summary**

Distance: 10
Actual Traffic: 23 min (from expected [+20, +30] min)
Duration: 33 min

Would you like to make an exit at this stop to charge?

**()** 

Current Stop: 1

Elapsed Trip Time: 33 minutes

Current Charge Level: 67%

### Forward-looking behavior

No



Use this slider to help you determine how much time your recharging will cost.

0 10 20 30 40 50 60 70 80 90 100


Charge Addition Amount (+33% = +147 minutes)

33


### **Exploration of strategy**

This is how much charge will be added. Your current charge + added charge will be capped at 100 min.


# Design



# Design To Batch, or Not to Batch




### **Design** To Batch, or Not to Batch



Optimal = "batch" required charges for the next two stops  $(0 \rightarrow 2)$ rather than just  $0 \rightarrow 1$  or further batch  $0 \rightarrow 3$ .


### **Design** To Batch, or Not to Batch



Optimal = "batch" required charges for the next two stops  $(0 \rightarrow 2)$ rather than just  $0 \rightarrow 1$  or further batch  $0 \rightarrow 3$ .

# Design

### To Batch, or Not to Batch




Optimal = "batch" required charges for the next two stops  $(0 \rightarrow 2)$ rather than just  $0 \rightarrow 1$  or further batch  $0 \rightarrow 3$ . Optimal ="split" = only charge for the next stop  $(3 \rightarrow 4)$ 


rather than batch  $3 \rightarrow 5$ .

# Study 1


## Learning in One Environment





## Study 1 + New Environment



## Stucy 1 + New Environment









You should charge X%

precise / broad advice

You should **charge just enough for** this segment + the next one




From operations, we know that experiencing uncertainty impacts behaviors...




From operations, we know that experiencing uncertainty impacts behaviors...


Workers facing uncertain workload: higher workload → use Al advice more (Snyder et al 2023)




### From operations, we know that experiencing uncertainty impacts behaviors...

- Workers facing uncertain workload: higher workload → use Al advice more (Snyder et al 2023)
- Paramedics experiencing one (two) prior critical incident(s) spend 2.6% (7.5%) more time completing their tasks (Bavafa & Jonasson 2020)









## Study 1:

## Results


### Performance Across Rounds



# Study 1: Results




# Study 1: Results



### Study 1:


# Results

### **Precise Tip Works Instantly**




# Results

### Performance Dips Post-Tip



# Results

# Broad Tip Seems to Help with New Environment



# Results

#### Broad Tip Seems to Help with New Environment

#### AI Meets the Classroom: When Does ChatGPT Harm Learning?


Matthias Lehmann, Philipp B. Cornelius, Fabian J. Sting<sup>1,2</sup> <sup>1</sup>University of Cologne, <sup>2</sup>Rotterdam School of Management, Erasmus University

#### Generative AI Can Harm Learning


Hamsa Bastani, 1\* Osbert Bastani, 2\* Alp Sungu, 1\*† Haosen Ge,<sup>3</sup> Özge Kabakcı,<sup>4</sup> Rei Mariman

<sup>1</sup>Operations, Information and Decisions, University of Pennsylvania <sup>2</sup>Computer and Information Science, University of Pennsylvania <sup>3</sup>Wharton AI & Analytics, University of Pennsylvania <sup>4</sup>Budapest British International School

#### Completion Time – Skewed Traffic




### Results Long-Term Learning from Tip



34% stay with optimal strategy afterwards



### Results Long-Term Learning from Tip




34% stay with optimal strategy afterwards

56% stay with optimal strategy afterwards


### Mechanism

### Strategy Exploration




### Mechanism

### **Strategy Exploration**



### Mechanism


### **Strategy Exploration**



Broad tip: Greater variation in charging decisions

### Mechanism

### Strategy Exploration




Broad tip: Greater variation in charging decisions

→ continued experimentation and flexible adjustment

### Mechanism

### Strategy Exploration



Use this slider to help you determine how much time your recharging will cost.

10 10 20 30 40 50 60 70 80 90 100

Charge Addition Amount (+33% = +147 minutes)

33

O


This is how much charge will be added. Your current charge + added charge will be capped at 100 min.


Broad tip: Greater variation in charging decisions

→ continued experimentation and flexible adjustment

### Mechanism

### Strategy Exploration







Broad tip: Greater variation in charging decisions

→ continued experimentation and flexible adjustment

### Mechanism

### Strategy Exploration






Broad tip: Greater variation in charging decisions


→ continued experimentation and flexible adjustment

**Broad tip:** Explore a wider range of charging strategies

### Mechanism

### Strategy Exploration





Broad tip: Greater variation in charging decisions

→ continued experimentation and flexible adjustment

Broad tip: Explore a wider range of charging strategies

→ deeper engagement with the task, not blind compliance

#### Inverse Reinforcement Learning (IRL)

- $V^{\psi}=$  expected sum of rewards when following policy  $\psi$
- Then, we assume that actions are taken according to a (possibly randomized) policy  $\psi^* \in \arg\sup V^{\psi}$  to infer the reward function  $r_s$  ( $\rightarrow$  the human strategy!)

#### Inverse Reinforcement Learning (IRL)

- $V^{\psi}=$  expected sum of rewards when following policy  $\psi$
- Then, we assume that actions are taken according to a (possibly randomized) policy  $\psi^* \in \arg\sup V^{\psi}$  to infer the reward function  $r_s$  ( $\rightarrow$  the human strategy!)

#### ...applied to our case

• Suppose  $\mu^*$  is the policy maximizing  $V^{\psi}$  under the reward function  $r_s^h$  various reward of the human decision-maker. We assume that  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$  components

#### Inverse Reinforcement Learning (IRL)

- $V^{\psi}=$  expected sum of rewards when following policy  $\psi$
- Then, we assume that actions are taken according to a (possibly randomized) policy  $\psi^* \in \arg\sup V^{\psi}$  to infer the reward function  $r_s$  ( $\rightarrow$  the human strategy!)

#### ...applied to our case

- Suppose  $\mu^*$  is the policy maximizing  $V^{\psi}$  under the reward function  $r_s^h$  various reward of the human decision-maker. We assume that  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$  components
- Meanwhile,  $\nu^*$  is the policy maximizing  $V^{\psi}$  under the reward function  $r_s^d$  intended by the designer.

#### Inverse Reinforcement Learning (IRL)

- $V^{\psi}=$  expected sum of rewards when following policy  $\psi$
- Then, we assume that actions are taken according to a (possibly randomized) policy  $\psi^* \in \arg\sup V^{\psi}$  to infer the reward function  $r_s$  ( $\rightarrow$  the human strategy!)

#### ...applied to our case

- Suppose  $\mu^*$  is the policy maximizing  $V^{\psi}$  under the reward function  $r_s^h$  various reward of the human decision-maker. We assume that  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$  components
- Meanwhile,  $v^*$  is the policy maximizing  $V^{\psi}$  under the reward function  $r_s^d$  intended by the designer.
- Without tips, the decision-maker follows  $\mu^*$ .
- With tips, the decision-maker follows:

$$\psi^* = \begin{cases} \nu^*, & \text{with prob.} \pi \\ \mu^*, & \text{with prob.} 1 - \pi \end{cases}$$

• Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$ 

- Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$
- Based on topic modeling of participant's textual feedback, we derive several components of the reward function, e.g.,

- Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$
- Based on topic modeling of participant's textual feedback, we derive several components of the reward function, e.g.,
  - $\phi_t$  = Time taken at current stop (including charging & emergency)

"Take the total amount of time needed to get to the next point after including worst traffic scenario..."

- Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$
- Based on topic modeling of participant's textual feedback, we derive several components of the reward function, e.g.,
  - $\phi_t = \text{Time taken at current stop}$  (including charging & emergency)
  - $\phi_S$  = Simplicity of action (e.g., high for 0, max, following tip)

"Take the total amount of time needed to get to the next point after including worst traffic scenario..."

"I first just tried to make sure my charge was 100%. I then tried to make sure I had just enough charge for the next stop."

- Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$
- Based on topic modeling of participant's textual feedback, we derive several components of the reward function, e.g.,
  - $\phi_t$  = Time taken at current stop (including charging & emergency)
  - $\phi_S$  = Simplicity of action (e.g., high for 0, max, following tip)
  - $\phi_r$  = Risk exposure (decreasing with likelihood of reaching next stop)

"Take the total amount of time needed to get to the next point after including worst traffic scenario..."

"I first just tried to make sure my charge was 100%. I then tried to make sure I had just enough charge for the next stop."

"Play it safe!"

- Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$
- Based on topic modeling of participant's textual feedback, we derive several components of the reward function, e.g.,
  - $\phi_t$  = Time taken at current stop (including charging & emergency)
  - $\phi_S$  = Simplicity of action (e.g., high for 0, max, following tip)
  - $\phi_r$  = Risk exposure (decreasing with likelihood of reaching next stop)
  - $\phi_b = \text{Batch}$  (charge sufficiently for multiple stops)

"Take the total amount of time needed to get to the next point after including worst traffic scenario..."

"I first just tried to make sure my charge was 100%. I then tried to make sure I had just enough charge for the next stop."

"Play it safe!"

"I would probably charge all the way on stop ... so you don't have to charge on the last stop"

- Human reward function:  $r_{s_t}^h(a_t) = \sum_{j=1}^k \theta_j \phi_j(s_t, a_t)$
- Based on topic modeling of participant's textual feedback, we derive several components of the reward function, e.g.,
  - $\phi_t$  = Time taken at current stop (including charging & emergency)
  - $\phi_S$  = Simplicity of action (e.g., high for 0, max, following tip)
  - $\phi_r$  = Risk exposure (decreasing with likelihood of reaching next stop)
  - $\phi_b = \text{Batch}$  (charge sufficiently for multiple stops)

"Take the total amount of time needed to get to the next point after including worst traffic scenario..."

"I first just tried to make sure my charge was 100%. I then tried to make sure I had just enough charge for the next stop."

"Play it safe!"

"I would probably charge all the way on stop ... so you don't have to charge on the last stop"

Others: Risk exposure after penalty (rp), margin over worst-case traffic (m), split (sp)

Challenge: Each subject has their own weights and compliance probabilities, but we only observe a few rounds per subject/condition.

Challenge: Each subject has their own weights and compliance probabilities, but we only observe a few rounds per subject/condition.

#### The proposed model:

scenario-specific shift (e.g., pre/with/post, individual's precise vs broad) shift 
$$\boldsymbol{\theta}_i = \boldsymbol{\theta}_0 + \boldsymbol{\Delta}_s + \boldsymbol{\Delta}_i$$
 
$$\boldsymbol{\pi}_i = \frac{1}{1 + e^{-(\eta_s + \eta_i)}}$$
 (or 0 when  $s$  is not a tip-scenario)

Challenge: Each subject has their own weights and compliance probabilities, but we only observe a few rounds per subject/condition.

#### The proposed model:

scenario-specific shift (e.g., pre/with/post, individual's precise vs broad) shift 
$$\boldsymbol{\theta}_i = \boldsymbol{\theta}_0 + \boldsymbol{\Delta}_s + \boldsymbol{\Delta}_i$$
 
$$\boldsymbol{\pi}_i = \frac{1}{1 + e^{-(\eta_s) + \eta_i)}}$$
 (or 0 when  $s$  is not a tip-scenario)

Mean of the scenario shift = average for a given (tip)-scenario, across subjects and even experiments.

Challenge: Each subject has their own weights and compliance probabilities, but we only observe a few rounds per subject/condition.

#### The proposed model:

scenario-specific shift (e.g., pre/with/post, individual's precise vs broad) shift 
$$\boldsymbol{\theta}_i = \boldsymbol{\theta}_0 + \boldsymbol{\Delta}_s + \boldsymbol{\Delta}_i$$
 
$$\boldsymbol{\pi}_i = \frac{1}{1 + e^{-(\eta_s) + \eta_i)}}$$
 (or 0 when  $s$  is not a tip-scenario)

Mean of the scenario shift = average for a given (tip)-scenario, across subjects and even experiments.


Estimation: We use Stochastic Variational Inference (a Bayesian approach)


This enables us to efficiently estimate posterior distributions, rather than point estimates only

1. We estimate  $\Delta_s$ , where  $s \in \{\text{pre, with}(type), \text{post}(type)\}$ 


- 1. We estimate  $\Delta_s$ , where  $s \in \{\text{pre, with}(type), \text{post}(type)\}$
- 2. We can then characterize the impact of tips by looking at how the vector changes, e.g., how  $\Delta_{with(broad)} \rightarrow \Delta_{post(broad)}$  or  $\Delta_{with(precise)} \rightarrow \Delta_{post(precise)}$


- 1. We estimate  $\Delta_s$ , where  $s \in \{\text{pre, with}(type), \text{post}(type)\}$
- 2. We can then characterize the impact of tips by looking at how the vector changes, e.g., how  $\Delta_{with(broad)} \rightarrow \Delta_{post(broad)}$  or  $\Delta_{with(precise)} \rightarrow \Delta_{post(precise)}$







- 1. We estimate  $\Delta_s$ , where  $s \in \{\text{pre, with}(type), \text{post}(type)\}$
- 2. We can then characterize the impact of tips by looking at how the vector changes, e.g., how  $\Delta_{with(broad)} \rightarrow \Delta_{post(broad)}$  or  $\Delta_{with(precise)} \rightarrow \Delta_{post(precise)}$






- 1. We estimate  $\Delta_s$ , where  $s \in \{\text{pre, with}(type), \text{post}(type)\}$
- 2. We can then characterize the impact of tips by looking at how the vector changes, e.g., how  $\Delta_{with(broad)} \rightarrow \Delta_{post(broad)}$  or  $\Delta_{with(precise)} \rightarrow \Delta_{post(precise)}$





- 1. We estimate  $\Delta_s$ , where  $s \in \{\text{pre, with}(type), \text{post}(type)\}$
- 2. We can then characterize the impact of tips by looking at how the vector changes, e.g., how  $\Delta_{with(broad)} \rightarrow \Delta_{post(broad)}$  or  $\Delta_{with(precise)} \rightarrow \Delta_{post(precise)}$






Broad tip nudges humans to internalize the nonlinearity of charging costs: helping them move beyond default preferences for simplicity and safety, and toward more reward-optimal strategies.


# Summary





# Summary





### Summary



Implications: The most effective AI advice design depends on context. volatility, familiarity, and users' capacity to generalize. Shift reward function not just behavior!

Goal: How to Design/Deliver AI Tips to Support Long-Term Learning? Al Tips Broad tips promote strategic exploration and long-term learning, but only when Precise tips improve short-run efficiency, users can infer the rationale themselves but without explanation, they can limit learning and adaptability. New environment (no tips) How Do Tips Shape Can Humans Adapt When Environment Over Time? Changes?

"Driving Game"

How Humans Make Sequential Decisions?

Learning & Behavior

### **Summary + Thank You!**



**Implications:** The most effective AI advice design depends on *context*: volatility, familiarity, and users' capacity to generalize. Shift reward function not just behavior!

**Goal:** How to Design/Deliver AI Tips to Support Long-Term Learning?

Al Tips

Precise tips improve short-run efficiency, but without explanation, they can limit learning and adaptability. Broad tips promote strategic exploration and long-term learning, but only when users can infer the rationale themselves

"Driving Game"

How Humans Make Sequential Decisions? How Do Tips Shape Learning & Behavior Over Time? New environment (no tips)

Can Humans Adapt When Environment Changes?


Feedback (+ tips) very welcome!




Philippe Blaettchen
Singapore Management
University





Park Sinchaisri
Berkeley Haas
parksinchaisri@berkeley.edu






#### Short II Map Same segments as Short 0% but with different traffic estimates [+10, +25] [+10, +30] [+20, +30] [+5, +15] [+5, +10] → optimal batching is different! B Investigate whether people improve Round 5 Round 6 Round 7 performance in the same environment Short Short II Short II without the advice Round 3 Round 4 Round 2 Round 1 Round 5 Round 6 Round 7 Short Short Short Short Long Long Long +advice) (+advice) With-advice Pre-advice Post-advice Short Map Investigate systematically whether people improve performance in a new [+5, +15] [+5, +20] [+15, +25] [+5, +20] [+10, +15] environment without the advice Ň D, Ň D,





Experimental conditions

map sequences



Experimental conditions


2 x 3 advice precision

Precise Numerical: You should charge X%

Precise Qualitative: You should charge enough for this segment and the next, assuming worst case traffic

**Broad Qualitative:** You should charge enough for this segment and the next





#### Experimental conditions


rationale? advice precision map sequences


#### Rationale:

"Looking ahead, if you need to charge but the sum of charges required for next segments <50%, charging is fast, so you should charge enough for these segments in one stop."

### Results Broad's Success Replicated!








### Results


# Broad's Success Replicated! © ...Not When Things Change A Lot



### Results

#### Rationale Helps with Precise Tip 😯






### Results

#### Rationale Helps with Precise Tip 😯






### Mechanism

#### How Tips Affect Strategy

Recall that in our IRL approach, we use a scenario-specific shift:  $\Delta_s$ , respectively  $\eta_s$ 

Here, we adjust  $\Delta_s$  and  $\eta_s$ , to take into consideration explanations:  $s \in \{\text{pre},$ with(type,reveal), post(type,reveal)}:

- Broad+reveal leads to similar
- Feature-changes (with-tip  $\rightarrow$  post  $\frac{1}{9}$   $\frac{1}{0.6}$  are "in-between" what we  $\frac{1}{9}$   $\frac{1}{0.5}$   $\frac{1}{9}$   $\frac$
- → Useful in capturing the immediate benefits of precise tips and some of the long-term benefits of broad tips



### Mechanism

# Interlude: Validating the Approach

#### 1. Synthetic data:

- We randomly generate model parameters
- Then, in the existing trajectories, we replace the actions taken by actions drawn from the policy suggested by our model
- This shows that our estimation procedure can identify parameters accurately

	$corr(\Delta_{\scriptscriptstyle S}, \widehat{\Delta}_{\scriptscriptstyle S})$	$corr(\Delta_i, \widehat{\Delta}_i)$	$corr(\pi_s,\pi_s)$	$corr(\pi_i, \pi_i)$
Avg.	0.96	0.88	0.99	0.94
Std.	0.03	0.06	/	/

#### 2. Real data, standard checks:


- Log-likelihoods: Test set LL on real data (-13.41) in line with training LL on real data (-13.03) and test set LL on synthetic data (-11.81)
- Posterior-predictive checks: Actual action is "as far" from estimated probabilities as action generated from model (Brier score of observations = 36.60, Avg. Brier score of simulations = 38.35, p = 0.93)

### Mechanism

# Interlude: Validating the Approach

#### 3. Real data, consistency with qualitative insights:

- We estimate our model on the actual data, then compare the participantspecific shifts based on the qualitatively assigned groups (sequence clusters)
- We compare the individuals in the "Optimal"/"learning" clusters to others



Compliance (logit) of "Optimal" vs. other clusters: T-stat=11.47 (p-value <